
Q92900

Filed: January 27, 2006
For: TIRE MANUFACTURING
METHOD AND TIRE"

1.OF 11

F/G. 1




Q92900

Filed: January 27, 2006 For: TIRE MANUFACTURING METHOD AND TIRE"

2 OF 11

F1G. 2





Q92900


Filed: January 27, 2006
For: TIRE MANUFACTURING
METHOD AND TIRE"

FIG. 3











Q92900


Filed: January 27, 2006 For: TIRE MANUFACTURING

METHOD AND TIRE"

F/G. 4










Q92900 Yuichiro OGAWA, et al. Filed: January 27, 2006 For: TIRE MANUFACTURING

METHOD AND TIRE"

F/G. 5









Q92900


Filed: January 27, 2006
For: TIRE MANUFACTURING

METHOD AND TIRE"

F/G. 6








Q92900

Filed: January 27, 2006
For: TIRE MANUFACTURING


METHOD AND TIRE"

FIG. 7






(b)




Q92900

Filed: January 27, 2006
For: TIRE MANUFACTURING
METHOD AND TIRE"

F/G. 8




Yuichiro OGAWA, et al. Q92900
Filed: January 27, 2006
For: TIRE MANUFACTURING
METHOD AND TIRE"



Q92900

Filed: January 27, 2006
For: TIRE MANUFACTURING
METHOD AND TIRE"

F/G. 10



Q92900

Filed: January 27, 2006
For: TIRE MANUFACTURING
METHOD AND TIRE"

